

# **CUDNER & O'CONNOR CO.**

# Safety Data Sheet ACE-200 CLEAR

# **SECTION 1: Identification**

#### 1.1 Product identifier

Product name ACE-200 CLEAR

Product number ACE-200 Brand CANDOC

### 1.2 Other means of identification

Clear Printing Ink

# 1.3 Recommended use of the chemical and restrictions on use

Uses: Printing Ink

# 1.4 Supplier's details

Name Cudner & O'Connor Co.
Address 4035 West Kinzie St

Chicago, IL 60624

USA

Telephone 773-826-0200 Fax 773-826-0477

email CANDOC1@AOL.COM

# 1.5 Emergency phone number(s)

800-535-5053

# **SECTION 2: Hazard identification**

# 2.1 Classification of the substance or mixture

- Flammable liquids (chapter 2.6), Cat. 3
- Acute toxicity, dermal (chapter 3.1), Cat. 5
- Acute toxicity, inhalation (chapter 3.1), Cat. 5
- Acute toxicity, oral (chapter 3.1), Cat. 5
- Eye damage/irritation (chapter 3.3), Cat. 2A

# 2.2 GHS label elements, including precautionary statements

**Pictogram** 



# Signal word Danger

Hazard s	tatement(s)	١
----------	-------------	---

H226 Flammable liquid and vapor
H303 May be harmful if swallowed
H313 May be harmful in contact with skin
H319 Causes serious eye irritation
H333 May be harmful if inhaled

# Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition

sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting and equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P312 IF INHALED: Call a POISON CENTER or doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor if you feel unwell.
P337+P313 If eve irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use foam,alcohol foam,CO2, dry chemical,water fog to

extinguish.

P403+P235 Store in a well ventilated place. Keep cool.

P501 Dispose of in accordance with local, county, state, provincial and federal

regulations.

### 2.3 Other hazards which do not result in classification

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## **Hazardous components**

 Component
 Concentration

 N-BUTYLACETATE (CAS no.: 123-86-4; EC no.: 204-658-1; Index no.: 607-025-00-1)
 25 - 30 %

CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 3; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H226 - Flammable liquid and vapor; H336 - May cause drowsiness or dizziness.

Urea Polymer 15 - 20 %

CLASSIFICATIONS: No data available. HAZARDS: No data available.

ETHYLENE GLYCOL MONOBUTYL ETHER (CAS no.: 111-76-2; EC no.: 203-905-0; Index no.: 603-014-00-0) 10 - 15 %

CLASSIFICATIONS: Acute toxicity (chapter 3.1), Cat. 4; Eye damage/irritation (chapter 3.3), Cat. 2; Skin corrosion/irritation (chapter 3.2), Cat. 2. HAZARDS: H302 - Harmful if swallowed; H312 - Harmful in contact with skin; H315 - Causes skin irritation; H319 - Causes serious eye irritation; H332 - Harmful if inhaled.

Solvent naphtha (petroleum), heavy arom (CAS no.: 64742-94-5)

< 0 - 5 %

CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 4; Acute toxicity, oral (chapter 3.1), Cat. 4; Acute toxicity, inhalation (chapter 3.1), Cat. 4; Acute toxicity, inhalation (chapter 3.1), Cat. 4. HAZARDS: H227 - Combustible liquid.

UV STABILIZER < 0 - 3 %

CLASSIFICATIONS: No data available. HAZARDS: No data available.

NAPHTHALENE (CAS no.: 91-20-3; EC no.: 202-049-5; Index no.: 601-052-00-2)

0.45 %

CLASSIFICATIONS: Carcinogenicity (chapter 3.6), Cat. 2; Acute toxicity (chapter 3.1), Cat. 4; Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 1; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 1. HAZARDS: H302 - Harmful if swallowed; H351 - Suspected of causing cancer; H400 - Very toxic to aquatic life; H410 - Very toxic to aquatic life with long lasting effects.

### **SECTION 4: First-aid measures**

# 4.1 Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration.

In case of skin contact Wash off with soap and plenty of water.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

Personal protective equipment for first-aid responders

Wear self-contained breathing apparatus for firefighting if necessary.

### 4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in section 3.

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

# **SECTION 5: Fire-fighting measures**

### 5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Specific hazards arising from the chemical

Carbon oxides

#### 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

### **Further information**

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# CAS: 111-76-2

2-Butoxyethanol

Cal/OSHA: 20 ppm PEL inhalation; NIOSH: 5 ppm REL inhalation; OSHA: 50 ppm PEL inhalation; 240 mg/m3 PEL inhalation

# CAS: 123-86-4

n-Butyl-acetate

Cal/OSHA: 150 ppm, (ST) 200 ppm PEL inhalation; NIOSH: 150 ppm, (ST) 200 ppm REL inhalation; OSHA: 150 ppm PEL inhalation; 710 mg/m3 PEL inhalation

#### CAS: 64742-94-5

Solvent naphtha (petroleum), heavy arom 100 MG/M3 TWA inhalation

# CAS: 91-20-3 Naphthalene

Cal/OSHA: 10 ppm, (ST) 15 ppm PEL inhalation; NIOSH: 10 ppm, (ST) 15 ppm REL inhalation; OSHA: 10 ppm PEL inhalation; 50 mg/m3 PEL inhalation

### 8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Thermal hazards

Thermal breakdown during fire or very high heat conditions may release Carbon Oxides, formaldehyde, silicon dioxide and incompletey burnt hydrocarbons.

# **Environmental exposure controls**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance/form

Odor

Odor threshold

pН

Melting point/freezing point

Initial boiling point and boiling range

Flash point Evaporation rate

Flammability (solid, gas)

Upper/lower flammability limits Upper/lower explosive limits

Vapor pressure

Vapor density

Relative density Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature

Viscosity

Explosive properties

Oxidizing properties

Other safety information

VOC WEIGHT 41.70% VOC VOLUME 49.82%

VOC 3.66 LBS/GAL

Viscous Liquid

Characteristist Solvent Odor

No Data

No Data

No Data No Data

54 F

Slower than Ether

12.7 1.1

No Data

Heavier than Air

8.74 lbs

Not Soluable

No Data

No Data

No Data

No Data

No Data

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This product has not been tested as a mixture, see Section 3: Hazards Identification

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

None anticipated during normal use and storage.

### 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Bases, amines, alkali metals, metals, permanganates, e.g. potassium permanganate, fluorine, metal acetylides, hexalithium disilicide

# 10.6 Hazardous decomposition products

This product has not been tested as a mixture, see Section 3: Hazards Identification

# **SECTION 11: Toxicological information**

# Information on toxicological effects

### Acute toxicity

This product has not been tested as a mixture, see Section 3: Hazards Identification

### Skin corrosion/irritation

This product has not been tested as a mixture, see Section 3: Hazards Identification

### Serious eye damage/irritation

This product has not been tested as a mixture, see Section 3: Hazards Identification

## Respiratory or skin sensitization

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### Germ cell mutagenicity

This product has not been tested as a mixture, see Section 3: Hazards Identification

### Carcinogenicity

This product has not been tested as a mixture, see Section 3: Hazards Identification

## Reproductive toxicity

This product has not been tested as a mixture, see Section 3: Hazards Identification

### Summary of evaluation of the CMR properties

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### STOT-single exposure

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### STOT-repeated exposure

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### **Aspiration hazard**

This product has not been tested as a mixture, see Section 3: Hazards Identification

### **Additional information**

Version: 1.0, Date of issue: 2015-09-24, p. 6 of 9

This product has not been tested as a mixture, see Section 3: Hazards Identification

# **SECTION 12: Ecological information**

#### **Toxicity**

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### Persistence and degradability

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### Bioaccumulative potential

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### Mobility in soil

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### Results of PBT and vPvB assessment

This product has not been tested as a mixture, see Section 3: Hazards Identification

#### Other adverse effects

This product has not been tested as a mixture, see Section 3: Hazards Identification

# **SECTION 13: Disposal considerations**

# Disposal of the product

Dispose of in accordance with local, county, state, provincial and federal regulations. Emptied containers may retain hazardous properties. Empty containers should be disposed of in an environmentally safe manner in accordance with applicable local regulations.

## Disposal of contaminated packaging

Dispose of as unused product properly.

#### Waste treatment

Not Applicable

# Sewage disposal

Not Applicable

### Other disposal recommendations

Dispose of in accordance with local, county, state, provincial and federal regulations. Emptied containers may retain hazardous properties. Empty containers should be disposed of in an environmentally safe manner in accordance with applicable local regulations.

# **SECTION 14: Transport information**

# DOT (US)

UN Number: 1210

Class:3

Packing Group: III

Proper Shipping Name: Printing Ink

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

**IMDG** 

UN Number: 1210

Class: 3

Packing Group: III EMS Number:

Proper Shipping Name: Printing Ink

IATA

UN Number: 1210

Class: 3

Packing Group: III

Proper Shipping Name: Printing Ink

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question

# California Prop. 65 components

Chemical name: NAPHTHALENE

CAS number: 91-20-3

04/19/2002 - cancer. Naphthalene. Common name : Napthalene

# **Massachusetts Right To Know Components**

Chemical name: Butyl acetate. 2-Butoxy Ethanol. Solvent naphtha (petroleum), heavy arom, Naphthalene, 1,2,4-

Trimethylbenzene. Chemical name: Naphthalene

CAS number: 91-20-3

## **New Jersey Right To Know Components**

Butyl acetate. 2-Butoxy Ethanol. Solvent naphtha (petroleum), heavy arom, Naphthalene, 1,2,4- Trimethylbenzene.

Common name: Naphthalene

CAS number: 91-20-3

## **Pennsylvania Right To Know Components**

Butyl acetate. 2-Butoxy Ethanol. Solvent naphtha (petroleum), heavy arom, Naphthalene, 1,2,4- Trimethylbenzene.

Common name: Napthalene

### SARA 311/312 Hazards

Butyl acetate. 2-Butoxy Ethanol. Naphthalene, 1,2,4- Trimethylbenzene. Common name: Napthalene

#### **SARA 313 Components**

2-Butoxy Ethanol. Naphthalene, 1,2,4- Trimethylbenzene. Common name: Napthalene

#### **HMIS Rating**



# **NFPA Rating**



# **SECTION 16: Other information**

# 16.2 Preparation information

The information and recommendations contained in this Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. No warranty, guarantee or representation is made. The user of this product must decide what safety measures are necessary to safely use this product either alone or in combination with other products and determine its environmental regulatory compliance obligations under any federal, state or local laws.