

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 11/28/2019

Version 1.4

SECTION 1.Identification

Product identifier

Product number SX0075

Product name Sand, Standard Washed and Dried

CAS-No. 14808-60-7

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company Millipore (Canada) Ltd. | 2149 Winston Park Dr. | Oakville |

Ontario L6H 6J8 | Canada | General Inquiries: +1 905 829 9500 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time

(GMT-5)

MilliporeSigma is a business of Merck KGaA, Darmstadt,

Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS-Labeling

Not a dangerous substance according to GHS.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula SiO₂ O₂Si (Hill)

Molar mass 60.08 g/mol

Millipore SigMa

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number SX0075 Version 1.4

Product name Sand, Standard Washed and Dried

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

Quartz, non-respirable (>= 90 % - <= 100 %)

14808-60-7

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin

with water/ shower.

Eve contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if

feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Pneumokoniosis (silicosis)

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Millipore SigMa

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number SX0075 Version 1.4

Product name Sand, Standard Washed and Dried

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

none

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

No special precautionary measures necessary.

Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at room temperature.



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number SX0075 Version 1.4

Product name Sand, Standard Washed and Dried

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Components						
Basis	Value	Threshold limits	Remarks			
General thres	General threshold limit value for dust					
CAD AB OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Total particulate.			
	Time Weighted Average (TWA):	3 mg/m³	Form of exposure: Respirable particles.			
CAD BC OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Total dust.			
	Time Weighted Average (TWA):	3 mg/m³	Form of exposure: Respirable fraction.			
OEL (QUE)	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Total dust.			
CAD MB OEL	Time Weighted Average (TWA):	3 mg/m³	Form of exposure: Respirable particles.			
	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Inhalable particles.			
CAD ON OEL	Time Weighted Average (TWAEV):	10 mg/m ³	Form of exposure: Inhalable fraction.			
	Time Weighted Average (TWAEV):	3 mg/m³	Form of exposure: Respirable fraction.			
Quartz, non-respirable 14808-60-7						
CAD AB OEL	Time Weighted Average (TWA):	0.025 mg/m ³	Form of exposure: Respirable particles.			
CAD BC OEL	Time Weighted Average (TWA):	0.025 mg/m ³	Form of exposure: Respirable fraction.			
CAD MB OEL	Time Weighted Average (TWA):	0.025 mg/m ³	Form of exposure: Respirable fraction.			
OEL (QUE)	Time Weighted Average (TWA):	0.1 mg/m ³	Exposure must be minimized. Form of exposure: Respirable dust.			
CAD ON OEL	Time Weighted Average (TWAEV):	0.10 mg/m ³	Chemical agent listed in Table 1 of Ontario Regulation 490/09 (Designated Substances) made under the Act. See clause 2 (2) (a) of this Regulation			
			Form of exposure: Respirable fraction.			

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Millipore SigMa

Page 4 of 10

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number SX0075 Version 1.4

Product name Sand, Standard Washed and Dried

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Preak through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer.

These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state solid

Color colorless

to white

Odor odorless

Odor Threshold Not applicable

Millipore SigMa

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	SX0075	Version 1.4
Product name	Sand, Standard Washed and Dried	
рН	5 - 8 at 400 g/l 68 °F (20 °C)	
Melting point	3,115 °F (1,713 °C)	
Boiling point/boiling range	> 3,992 °F (> 2,200 °C) at 1,013 hPa	
Flash point	No information available.	
Evaporation rate	No information available.	
Flammability (solid, gas)	The product is not flammable.	
Lower explosion limit	No information available.	
Upper explosion limit	No information available.	
Vapor pressure	No information available.	
Relative vapor density	No information available.	
Density	2.65 g/cm3 at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	at 68 °F (20 °C) insoluble	
Partition coefficient: n- octanol/water	No information available.	
Autoignition temperature	No information available.	
Decomposition temperatur	re No information available.	
Viscosity, dynamic	No information available.	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	SX0075	Version 1.4
Product name	Sand, Standard Washed and Dried	
Bulk density Particle size	ca.1,400 kg/m3 Particle size 0.2 - 0.8 mm	

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Exothermic reaction with:

alkali hydroxides, hydrofluoric acid, sodium, with, heat, xenon hexafluoride

Conditions to avoid

no information available

Incompatible materials

no information available

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact, Ingestion

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC Group 1: Carcinogenic to humans

Millipore Sigma

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	SX0075		Version 1.4
Product name	oduct name Sand, Standard Washed and Dried		
	Quartz, non-respirable	14808-60-7	
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.		
NTP	Known carcinogen.		
	Quartz, non-respirable	14808-60-7	
ACGIH	A2: Suspected human car	cinogen	
	Quartz, non-respirable	14808-60-7	

Further information

After inhalation of dust:

Chronic intoxication:

Pneumokoniosis (silicosis)

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.



Page 8 of 10

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number SX0075 Version 1.4

Product name Sand, Standard Washed and Dried

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA: All components of the product are listed in the TSCA-

inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date11/28/2019

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

Page 9 of 10



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number SX0075 Version 1.4

Product name Sand, Standard Washed and Dried

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.

